


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

UNITED STATES

Cotton Quality Report



Classings Through April 28, 2005

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through April 29, 2005

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	-	-	21	217	1,876	10,936	54,148	187,302	254,500
	3	-	1	46	613	4,197	20,234	108,334	413,225	546,650
	4	-	-	16	85	359	2,124	10,740	43,350	56,674
	5	-	-	3	11	18	75	287	735	1,129
	6	-	-	-	1	1	-	5	20	27
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	1	86	927	6,451	33,369	173,514	644,632	858,980
31	1-2	-	9	66	399	2,464	10,343	26,467	52,552	92,300
	3	-	17	364	2,820	17,151	76,717	275,127	696,936	1,069,132
	4	-	27	282	1,433	5,188	23,345	91,888	267,837	390,000
	5	-	30	90	267	473	1,392	5,942	16,352	24,546
	6	-	-	4	13	17	44	260	579	917
	7	-	-	-	1	7	5	10	24	47
	TOTAL----	-	83	806	4,933	25,300	111,846	399,694	1,034,280	1,576,942
41	1-2	-	11	58	319	1,795	6,446	14,022	26,248	48,899
	3	-	49	626	4,535	23,348	121,738	423,672	920,329	1,494,297
	4	-	24	425	3,865	15,802	67,856	262,370	650,428	1,000,770
	5	-	30	298	1,399	2,991	8,209	23,182	52,909	89,018
	6	-	-	77	465	694	919	2,196	3,455	7,806
	7	-	-	15	67	219	106	264	381	1,052
	TOTAL----	-	114	1,499	10,650	44,849	205,274	725,706	1,653,750	2,641,842
51	1-2	-	-	16	43	437	1,885	3,711	5,654	11,746
	3	-	12	177	1,505	6,720	37,711	127,701	244,865	418,691
	4	-	3	69	804	4,011	20,887	84,478	194,247	304,499
	5	-	-	11	151	932	4,429	13,144	25,828	44,495
	6	-	-	2	24	122	903	1,768	2,598	5,417
	7	-	-	3	13	69	132	275	288	780
	TOTAL----	-	15	278	2,540	12,291	65,947	231,077	473,480	785,628
61	1-2	-	-	-	-	8	31	167	330	536
	3	-	1	1	12	158	840	2,694	5,413	9,119
	4	-	-	6	17	143	996	2,784	4,898	8,844
	5	-	-	-	4	38	280	777	1,093	2,192
	6	-	-	-	-	5	40	117	186	348
	7	-	-	-	-	-	9	31	47	87
	TOTAL----	-	1	7	33	352	2,196	6,570	11,967	21,126
71	1-2	-	-	-	-	1	5	1	2	9
	3	-	-	1	9	14	57	76	38	195
	4	-	-	-	1	8	20	45	43	117
	5	-	-	-	-	1	5	7	13	26
	6	-	-	-	-	-	3	10	13	26
	7	-	-	-	-	1	6	24	8	39
	TOTAL----	-	-	1	10	25	96	163	117	412
12 & 22	1-2	-	-	3	63	426	1,800	3,133	5,557	10,982
	3	-	3	39	465	3,006	9,543	15,972	20,204	49,232
	4	-	-	7	48	582	2,249	4,523	5,622	13,031
	5	-	-	-	1	10	66	224	252	553
	6	-	-	-	-	-	-	7	22	29
	7	-	-	-	-	-	2	1	-	3
	TOTAL----	-	3	49	577	4,024	13,660	23,860	31,657	73,830
32	1-2	-	11	48	199	783	2,103	2,816	2,753	8,713
	3	-	19	298	2,787	12,695	38,492	66,405	74,972	195,668
	4	1	25	273	1,385	5,842	20,183	43,057	52,115	122,881
	5	-	36	128	182	394	1,419	3,617	4,834	10,610
	6	-	9	5	10	17	63	248	378	730
	7	-	-	-	-	2	8	36	51	97
	TOTAL----	1	100	752	4,563	19,733	62,268	116,179	135,103	338,699
42	1-2	2	9	84	138	474	1,332	1,793	1,529	5,361
	3	16	125	734	4,305	15,306	51,354	106,501	121,169	299,510
	4	8	73	556	3,891	14,750	47,710	123,448	161,279	351,715
	5	-	55	451	2,113	3,463	7,680	18,417	24,279	56,458
	6	-	26	193	1,014	859	1,015	1,801	2,150	7,058
	7	1	4	75	323	375	223	207	296	1,504
	TOTAL----	27	292	2,093	11,784	35,227	109,314	252,167	310,702	721,606
52	1-2	-	2	10	22	93	374	673	698	1,872
	3	1	29	254	1,176	3,785	12,755	34,662	60,911	113,573
	4	-	6	183	1,138	3,698	12,498	36,539	64,720	118,782
	5	-	4	51	499	1,429	3,984	9,594	13,155	28,716
	6	-	1	23	170	436	754	1,666	1,884	4,934
	7	-	-	11	71	254	225	287	306	1,154
	TOTAL----	1	42	532	3,076	9,695	30,590	83,421	141,674	269,031

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through April 29, 2005

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	2	9	50	62	111	234
	3	-	-	7	40	115	456	1,119	2,226	3,963
	4	-	2	17	72	202	715	1,675	2,591	5,274
	5	-	-	3	16	83	264	806	888	2,060
	6	-	-	-	6	12	52	187	184	441
	7	-	-	-	-	1	6	25	26	58
TOTAL----		-	2	27	136	422	1,543	3,874	6,026	12,030
13 & 23	1-2	-	3	1	27	112	297	563	895	1,898
	3	-	10	9	133	755	2,401	3,648	3,463	10,419
	4	-	-	1	17	127	603	1,080	912	2,740
	5	-	-	-	-	5	22	40	39	106
	6	-	-	-	-	-	-	9	3	12
	7	-	-	-	-	-	-	2	-	2
TOTAL----		-	13	11	177	999	3,323	5,342	5,312	15,177
33	1-2	-	2	34	206	475	1,079	1,345	1,495	4,636
	3	-	11	187	1,421	4,707	14,242	22,816	27,428	70,812
	4	-	27	102	632	2,279	7,041	14,037	15,229	39,347
	5	-	11	15	31	164	491	1,192	1,021	2,925
	6	-	-	1	-	17	21	60	53	152
	7	-	-	-	1	5	5	7	5	23
TOTAL----		-	51	339	2,291	7,647	22,879	39,457	45,231	117,895
43	1-2	-	-	2	79	210	435	553	603	1,882
	3	-	18	317	2,189	5,329	13,493	24,973	31,305	77,624
	4	1	38	416	2,941	8,025	17,088	34,090	42,820	105,419
	5	-	65	335	1,384	2,010	3,549	6,082	6,014	19,439
	6	-	35	319	865	492	473	660	551	3,395
	7	-	23	137	366	220	122	69	88	1,025
TOTAL----		1	179	1,526	7,824	16,286	35,160	66,427	81,381	208,784
53	1-2	-	-	1	6	25	74	134	74	314
	3	-	12	39	183	426	1,189	3,032	5,286	10,167
	4	-	10	53	197	705	1,883	4,401	6,861	14,110
	5	-	2	16	164	552	1,227	2,334	2,227	6,522
	6	-	-	31	187	211	304	634	624	1,991
	7	-	6	58	206	155	87	113	157	782
TOTAL----		-	30	198	943	2,074	4,764	10,648	15,229	33,886
63	1-2	-	-	-	2	13	33	21	28	97
	3	-	-	-	3	39	138	222	275	677
	4	-	-	1	6	67	205	362	489	1,130
	5	-	-	-	6	44	68	159	254	531
	6	-	-	-	5	6	13	62	60	146
	7	-	-	-	3	3	3	19	10	38
TOTAL----		-	-	1	25	172	460	845	1,116	2,619
24-54	1-7	9	211	809	3,717	8,294	17,147	32,269	35,405	97,861
25-35	1-7	-	-	27	62	236	368	241	222	1,156
81-85 1/	1-7	24	107	211	736	1,651	2,519	3,045	2,110	10,403
All Colors	8 2/	2	36	206	641	622	400	374	352	2,633
TOTAL, ALL----		65	1,280	9,458	55,645	196,350	723,123	2,174,873	4,629,746	7,790,540

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through April 29, 2005

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	352,493	330,810	308,812	120,572	19,789	2,712	1,135,188
	3	764,297	645,860	303,475	72,908	15,945	1,690	1,804,175
	4	100,947	99,232	50,145	9,261	1,370	117	261,072
	5	1,352	1,304	722	146	36	3	3,563
	6	13	6	4	-	-	-	23
	7	-	-	-	-	-	-	50
	TOTAL----	1,219,102	1,077,212	663,158	202,887	37,140	4,522	3,204,021
31	1-2	68,640	48,598	37,514	9,304	1,687	320	166,063
	3	1,030,968	704,816	304,584	53,555	7,658	1,078	2,102,659
	4	511,250	479,895	250,647	40,561	3,121	304	1,285,778
	5	31,368	34,428	23,419	5,024	436	21	94,696
	6	735	616	421	119	20	-	1,911
	7	16	11	9	2	-	-	38
	TOTAL----	1,642,977	1,268,364	616,594	108,565	12,922	1,723	3,651,145
41	1-2	31,143	19,173	12,281	3,260	448	24	66,329
	3	1,149,667	666,789	181,317	25,818	4,919	622	2,029,132
	4	1,023,745	786,802	268,760	28,407	3,289	501	2,111,504
	5	82,983	81,984	44,940	6,916	664	76	217,563
	6	4,597	3,982	2,657	537	56	4	11,833
	7	280	187	97	14	4	-	582
	TOTAL----	2,292,415	1,558,917	510,052	64,952	9,380	1,227	4,436,943
51	1-2	4,866	3,006	2,569	733	89	3	11,266
	3	257,699	129,108	36,311	5,694	1,051	127	429,990
	4	302,391	243,603	76,636	7,191	298	1,399	631,518
	5	36,180	37,143	16,584	1,807	111	5	91,830
	6	2,730	1,775	926	137	14	1	5,583
	7	236	95	67	9	-	-	407
	TOTAL----	604,102	414,730	133,093	15,571	1,796	184	1,169,476
61	1-2	244	75	20	11	-	-	350
	3	5,867	2,484	531	40	14	1	8,937
	4	6,913	3,701	934	93	4	-	11,645
	5	1,075	565	163	17	2	-	1,822
	6	164	93	30	10	1	-	298
	7	22	16	1	-	-	-	39
	TOTAL----	14,285	6,934	1,679	171	21	1	23,091
71	1-2	-	-	1	-	-	-	1
	3	26	15	4	-	1	-	46
	4	42	15	5	-	1	-	63
	5	16	5	1	1	-	-	23
	6	1	3	1	-	-	-	5
	7	2	-	-	-	-	-	2
	TOTAL----	87	38	12	1	2	-	140
12 & 22	1-2	8,926	6,547	9,089	4,014	2,063	515	31,154
	3	23,444	15,223	12,291	4,390	1,102	339	56,789
	4	6,929	4,824	4,127	1,173	167	23	17,243
	5	200	160	130	64	23	5	582
	6	6	-	1	2	2	-	11
	7	-	-	-	-	-	-	3
	TOTAL----	39,505	26,754	25,638	9,643	3,357	882	105,779
32	1-2	2,633	1,969	3,177	1,513	364	50	9,706
	3	64,908	37,761	19,128	5,806	1,224	331	129,158
	4	51,847	35,342	20,826	4,403	604	120	113,142
	5	4,607	3,966	3,330	1,330	212	9	13,454
	6	289	142	136	52	9	-	628
	7	37	10	8	2	-	-	57
	TOTAL----	124,321	79,190	46,605	13,106	2,413	510	266,145
42	1-2	1,230	866	1,301	574	67	11	4,049
	3	104,705	59,103	18,378	3,717	749	42	186,694
	4	165,097	129,492	46,679	5,027	772	79	347,146
	5	24,344	24,433	13,552	1,930	234	40	64,533
	6	1,740	1,107	869	223	31	6	3,976
	7	213	84	147	32	-	-	476
	TOTAL----	297,329	215,085	80,926	11,503	1,853	178	606,874
52	1-2	398	145	74	20	2	-	639
	3	49,552	21,378	4,923	400	70	27	76,350
	4	79,876	62,318	17,045	969	107	12	160,327
	5	14,600	15,005	6,444	459	57	7	36,572
	6	1,380	892	440	46	3	3	2,764
	7	200	67	44	1	1	-	313
	TOTAL----	146,006	99,805	28,970	1,895	240	49	276,965

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through April 29, 2005

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	65	18	2	2	-	-	87	321
	3	2,044	614	130	12	7	1	2,808	6,771
	4	2,847	1,654	352	23	2	-	4,878	10,152
	5	626	267	90	16	-	-	999	3,059
	6	113	52	29	-	-	-	194	635
	7	26	24	8	-	-	-	58	116
TOTAL----		5,721	2,629	611	53	9	1	9,024	21,054
13 & 23	1-2	1,040	667	905	354	67	15	3,048	4,946
	3	3,382	1,640	806	292	77	10	6,207	16,626
	4	812	382	168	31	7	-	1,400	4,140
	5	29	19	12	4	-	2	66	172
	6	1	-	-	-	-	-	1	13
	7	-	-	-	-	-	-	-	2
TOTAL----		5,264	2,708	1,891	681	151	27	10,722	25,899
33	1-2	1,365	799	979	516	74	18	3,751	8,387
	3	25,613	13,506	4,865	1,009	248	38	45,279	116,091
	4	14,510	8,876	3,591	603	105	10	27,695	67,042
	5	771	630	452	116	23	3	1,995	4,920
	6	35	19	10	4	2	-	70	222
	7	2	1	-	1	-	-	4	27
TOTAL----		42,296	23,831	9,897	2,249	452	69	78,794	196,689
43	1-2	495	483	526	273	30	12	1,819	3,701
	3	26,543	14,346	5,649	1,247	148	76	48,009	125,633
	4	38,602	22,619	9,050	916	142	32	71,361	176,780
	5	4,501	3,084	1,708	244	60	4	9,601	29,040
	6	301	171	99	35	4	-	610	4,005
	7	81	24	14	1	-	-	120	1,145
TOTAL----		70,523	40,727	17,046	2,716	384	124	131,520	340,304
53	1-2	39	35	50	8	-	-	132	446
	3	4,759	2,662	954	167	40	6	8,588	18,755
	4	8,017	6,175	2,174	174	32	7	16,579	30,689
	5	2,109	1,827	1,035	58	4	1	5,034	11,556
	6	300	172	128	5	-	-	605	2,596
	7	55	38	27	1	-	-	121	903
TOTAL----		15,279	10,909	4,368	413	76	14	31,059	64,945
63	1-2	13	2	-	-	-	-	15	112
	3	263	94	32	6	2	3	400	1,077
	4	386	177	55	5	1	-	624	1,754
	5	150	63	25	5	-	-	243	774
	6	30	15	6	6	-	-	57	203
	7	7	4	1	-	-	-	12	50
TOTAL----		849	355	119	22	3	3	1,351	3,970
24-54	1-7	21,373	9,978	3,660	493	96	-	35,600	133,461
25-35	1-7	72	6	1	-	-	-	79	1,235
81-85 1/	1-7	1,132	490	251	40	10	454	2,377	12,780
All Colors	8 2/	148	68	40	4	-	-	260	2,893
TOTAL, ALL----		6,542,786	4,838,730	2,144,611	434,965	70,305	9,968	14,041,365	21,831,905
EXTRANEIOUS MATTER		Average Staple -----							34.9
		Percent Tenderable -----							63.8
Bark - Level 1		3,425,537							
Bark - Level 2		2,180							
Grass - Level 1		79,813							
Grass - Level 2		940							
Prep - Level 1		45,694							
Prep - Level 2		142							
Other - Level 1		7,095							
Other - Level 2		7							

21,831,905 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	0.2	0.9	1.6	1.5	1.4	0.6	0.1	*	6.4
	3	-	*	*	*	*	0.1	0.5	1.9	3.5	3.0	1.4	0.3	0.1	*	10.8
	4	-	-	*	*	*	*	*	0.2	0.5	0.5	0.2	*	*	*	1.5
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	*	0.2	0.8	3.0	5.6	4.9	3.0	0.9	0.2	*	18.6
31	1-2	-	*	*	*	*	*	0.1	0.2	0.3	0.2	0.2	*	*	*	1.2
	3	-	*	*	*	0.1	0.4	1.3	3.2	4.7	3.2	1.4	0.2	*	*	14.5
	4	-	*	*	*	*	0.1	0.4	1.2	2.3	2.2	1.1	0.2	*	*	7.7
	5	-	*	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	*	*	*	0.1	0.5	1.8	4.7	7.5	5.8	2.8	0.5	0.1	*	23.9
41	1-2	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	3	-	*	*	*	0.1	0.6	1.9	4.2	5.3	3.1	0.8	0.1	*	*	16.1
	4	-	*	*	*	0.1	0.3	1.2	3.0	4.7	3.6	1.2	0.1	*	*	14.3
	5	-	*	*	*	*	*	0.1	0.2	0.4	0.4	0.2	*	*	*	1.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	0.2	0.9	3.3	7.6	10.5	7.1	2.3	0.3	*	*	32.4
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	0.2	0.6	1.1	1.2	0.6	0.2	*	*	*	3.9
	4	-	*	*	*	*	0.1	0.4	0.9	1.4	1.1	0.4	*	*	*	4.3
	5	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.6
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	0.1	0.3	1.1	2.2	2.8	1.9	0.6	0.1	*	*	9.0
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.1	0.1	0.2	0.1	0.1	*	*	*	0.8
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	*	*	*	1.5
	4	*	*	*	*	*	0.1	0.2	0.2	0.2	0.2	0.1	*	*	*	1.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	0.1	0.3	0.5	0.6	0.6	0.4	0.2	0.1	*	*	2.8
42	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	0.1	0.2	0.5	0.6	0.5	0.3	0.1	*	*	*	2.2
	4	*	*	*	*	0.1	0.2	0.6	0.7	0.8	0.6	0.2	*	*	*	3.2
	5	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	0.2	0.5	1.2	1.4	1.4	1.0	0.4	*	*	*	6.1
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	0.9
	4	-	*	*	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	*	1.3
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	*	0.1	0.4	0.6	0.7	0.5	0.1	*	*	*	2.5

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	4	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.9
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.6
	4	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.8
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	0.1	*	*	*	1.6
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	*	0.6
25-35	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		*	*	*	0.3	0.9	3.3	10.0	21.2	30.0	22.2	9.8	2.0	0.3	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		15.7														
Bark - Level 2		*														
Grass - Level 1		0.4														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

21,831,905 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- **Alabama** : Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	3	-	-	-	-	*	0.1	0.6	1.1	1.2	0.5	0.1	*	-	-	3.5
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.7	1.5	1.6	0.6	0.1	*	*	-	4.7
31	1-2	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
	3	-	-	-	*	*	0.5	2.7	6.0	6.7	2.5	0.3	*	*	-	18.8
	4	-	-	-	-	*	0.2	1.5	3.7	4.5	2.0	0.5	0.1	*	-	12.5
	5	-	-	-	-	-	*	0.1	0.3	0.4	0.2	0.1	*	*	-	1.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.7	4.6	10.2	11.8	4.8	0.9	0.1	*	-	33.1
41	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	-	*	0.7	4.2	7.8	6.6	2.0	0.3	*	*	-	21.6
	4	-	-	-	-	*	0.2	1.7	4.8	5.6	2.3	0.5	*	*	-	15.1
	5	-	-	-	-	*	*	0.1	0.4	0.5	0.2	0.1	*	*	*	1.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	1.0	6.1	13.1	12.7	4.6	0.9	*	*	*	38.5
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.4	1.6	1.8	1.0	0.2	*	-	-	-	5.1
	4	-	-	-	-	*	0.2	1.3	2.7	2.1	0.5	0.1	*	-	-	6.9
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	0.7	3.0	4.8	3.3	0.8	0.1	*	-	-	12.7
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	-	-	1.0
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.2	0.7	0.8	0.5	0.1	*	*	-	-	2.2
	4	-	-	-	-	*	0.1	0.5	1.0	0.9	0.3	*	*	-	-	2.8
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	0.2	1.2	1.8	1.5	0.5	0.1	*	*	-	5.3
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.2	0.4	0.3	0.1	*	*	-	-	-	1.0
	4	-	-	-	-	*	0.1	0.5	0.7	0.5	0.1	*	*	-	-	2.0
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	0.3	1.0	1.1	0.7	0.2	*	*	-	-	3.4

* Less than 0.05 percent.

Table 3. -- **Alabama** : Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
13 & 23	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
53	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	-	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
63	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.1	3.1	17.1	33.4	32.2	11.8	2.2	0.2	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	3.5															
Bark - Level 2	"															
Grass - Level 1	0.2															
Grass - Level 2	"															
Prep - Level 1	0.3															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	*															

797,410 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- *Arizona*: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.2	1.2	5.6	12.7	14.5	8.9	1.3	0.2	*	44.6
	3	-	-	-	-	*	*	0.2	0.9	2.1	2.4	1.9	0.4	0.1	*	8.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.2	1.4	6.6	14.9	17.0	10.8	1.7	0.3	*	53.0
31	1-2	-	-	-	*	*	*	0.1	0.7	1.8	2.4	1.8	0.3	*	*	7.2
	3	-	-	-	-	*	*	0.2	0.8	1.9	2.6	2.2	0.5	0.1	*	8.3
	4	-	-	-	-	*	*	*	0.2	0.3	0.3	0.2	*	*	*	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	*	0.4	1.6	4.0	5.3	4.3	0.9	0.2	*	16.7
41	1-2	-	-	-	-	*	*	0.2	0.7	1.3	0.9	0.3	*	*	-	3.4
	3	-	-	-	-	*	*	0.4	1.9	3.7	3.2	1.5	0.2	0.1	*	11.0
	4	-	-	-	-	*	*	0.1	0.3	0.6	0.6	0.3	0.1	*	*	2.0
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.7	3.0	5.6	4.8	2.1	0.3	0.1	16.7
51	1-2	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	3	-	-	-	-	*	*	0.3	1.3	1.7	0.7	0.2	*	*	-	4.3
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.2	*	*	-	-	1.2
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.1	0.6	1.9	2.5	1.1	0.2	*	*	6.5
61	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	0.1	0.3	0.7	0.3	0.1	*	-	-	1.6
	3	-	-	-	-	*	*	*	0.2	0.4	0.2	0.1	*	*	-	0.9
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.5	1.1	0.6	0.1	*	*	-	2.6
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	-	0.9
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.3	0.1	0.1	*	*	*	0.9
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.2
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	0.4
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	-	-	-	0.4
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.3
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
24-54	1-7	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.3
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	0.1	0.7	4.0	15.0	29.4	29.4	17.9	3.0	0.6	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		4.9														
Bark - Level 2		0.2														
Grass - Level 1		0.4														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		0.4														
Other - Level 1		-														

Average Staple 35.5
Percent Tenderable 66.3

673,023 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.1	0.8	1.5	1.0	0.2	*	*	-	3.8
	3	-	-	-	-	-	*	0.3	3.3	8.4	7.7	2.0	0.1	*	-	21.8
	4	-	-	-	-	-	*	-	0.3	1.5	1.6	0.4	-	*	-	3.9
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.5	4.4	11.4	10.3	2.7	0.1	*	-	29.5
31	1-2	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.2
	3	-	-	-	-	*	*	0.1	1.1	3.2	3.2	0.8	*	*	-	8.5
	4	-	-	-	-	-	*	*	0.7	3.2	3.8	1.1	*	*	*	8.8
	5	-	-	-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	1.9	6.6	7.3	2.0	0.1	*	*	18.1
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.2	1.3	2.9	2.3	0.4	*	*	-	7.2
	4	-	-	-	-	*	*	0.1	0.8	3.0	3.5	0.9	*	*	-	8.3
	5	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	2.2	6.2	6.1	1.4	*	*	-	16.2
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.5	2.5	3.7	2.0	0.3	*	*	-	9.0
	4	-	-	-	-	*	*	0.1	1.1	3.8	3.9	1.0	*	-	-	10.1
	5	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	0.7	3.7	7.7	6.3	1.5	0.1	*	-	19.9
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	*	-	0.7
71	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	0.6
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.4	0.7	0.6	0.1	*	*	-	1.9
	4	-	-	-	-	*	*	*	0.3	0.8	1.4	0.4	*	*	-	2.8
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	0.7	1.6	2.2	0.6	*	*	-	5.2
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.3	1.2	1.2	0.5	0.1	*	*	-	3.3
	4	-	-	-	-	*	*	0.1	0.7	1.5	1.5	0.4	*	*	-	4.3
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	0.4	1.9	2.8	2.3	0.6	*	*	-	8.1

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	*	
	4	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	0.1	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.2	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.3	
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2	
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	0.1	*	-	-	-	0.2	
	4	-	-	-	-	-	*	*	*	*	0.1	*	-	-	-	0.2	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3	
53	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2	
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	-	0.3	
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.5	
63	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	0.1	-	-	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
TOTAL, ALL-----		-	-	-	-	*	0.1	2.3	15.5	37.5	35.3	9.0	0.3	*	*	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1		0.4															
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		0.2															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															
			Average Staple 35.3														
			Percent Tenderable 79.0														

2,016,409 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.1	0.6	2.1	6.7	8.3	12.6	6.1	1.0	0.2	37.7
	3	-	-	*	*	*	*	0.1	0.6	3.3	6.3	4.6	2.3	0.8	0.1	18.1
	4	-	-	-	-	*	*	*	*	0.1	0.3	0.2	*	*	*	0.7
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	0.1	0.7	2.7	10.1	14.8	17.4	8.5	1.8	0.2	56.5
31	1-2	-	-	-	*	*	0.1	0.1	0.4	0.8	0.6	0.9	0.3	0.1	*	3.3
	3	-	-	-	*	*	*	0.1	0.5	2.3	3.0	1.9	1.0	0.3	*	9.2
	4	-	-	-	-	-	*	*	*	0.2	0.7	0.4	0.1	0.1	*	1.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.2	1.0	3.4	4.2	3.3	1.5	0.4	0.1	14.3
41	1-2	-	-	-	*	*	*	0.1	0.4	0.6	0.5	0.5	0.2	*	*	2.4
	3	-	-	-	*	*	0.1	0.2	0.9	3.1	4.3	2.5	1.0	0.2	*	12.3
	4	-	-	-	-	*	*	*	0.1	0.6	1.3	0.8	0.3	0.1	*	3.1
	5	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.4	1.4	4.3	6.2	3.9	1.4	0.4	0.1	18.1
51	1-2	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	-	*	*	*	0.1	0.4	0.7	0.7	0.2	0.1	*	2.3
	4	-	-	-	-	*	*	*	*	0.1	0.3	0.2	0.1	-	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	0.1	0.2	0.7	1.1	1.1	0.4	0.1	*	*	3.7
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	*	*	0.1	0.2	0.5	0.2	0.1	*	1.2
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.3	0.4	0.7	0.4	0.2	*	2.1
32	1-2	-	-	-	-	*	*	*	*	*	0.1	0.2	0.1	*	*	0.4
	3	-	-	-	-	*	*	*	*	0.1	0.3	0.4	0.2	0.1	*	1.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	0.2	0.4	0.6	0.4	0.1	*	1.7
42	1-2	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	3	-	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	1.0
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.2	0.5	0.5	0.3	0.1	*	1.7
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3

* Less than 0.05 percent.

Table 6. -- **California** : Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	0.4
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	*	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL----		-	-	*	*	0.1	0.4	1.5	5.7	19.5	28.0	28.1	13.1	3.1	0.5	100.0
EXTRANEEOUS MATTER		Average Staple														36.3
		Percent Tenderable														89.5
Bark - Level 1	2.1															
Bark - Level 2	*															
Grass - Level 1	0.4															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

1,758,686 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- *Florida* : Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	0.2	0.2	0.1	*	-	-	-	0.5
	3	-	-	-	-	-	*	*	0.4	0.6	0.5	0.2	-	-	-	1.7
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.6	0.8	0.7	0.2	-	-	-	2.4
31	1-2	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6
	3	-	-	-	-	-	*	0.6	4.5	7.4	3.8	0.4	*	-	-	16.8
	4	-	-	-	-	-	-	*	0.5	1.1	1.1	0.2	*	-	-	2.9
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.7	5.2	8.8	4.9	0.6	*	-	-	20.3
41	1-2	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.1	2.3	12.7	18.1	6.2	0.6	*	-	-	40.1
	4	-	-	-	-	-	*	0.4	3.4	8.8	4.9	0.6	*	-	-	18.2
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	2.7	16.3	27.1	11.2	1.2	*	-	-	58.8
51	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.6	1.8	1.0	0.2	*	-	-	-	3.6
	4	-	-	-	-	-	*	0.6	2.6	2.1	0.8	0.1	-	-	-	6.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.1	1.2	4.4	3.1	1.0	0.1	-	-	-	9.9
61	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	0.2	0.1	*	-	-	-	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	0.1	*	-	-	-	-	-	0.3
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.3	0.4	0.2	*	-	-	-	1.0
	4	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.4	0.6	0.2	*	-	-	-	1.3
42	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.9	1.4	0.7	0.1	-	-	-	3.2
	4	-	-	-	-	*	*	0.1	0.4	0.7	0.4	*	*	-	-	1.6
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	1.3	2.1	1.1	0.1	*	-	-	4.9
52	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	-	*	0.1	0.4	0.4	0.1	*	-	-	-	1.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	0.5	0.5	0.1	*	-	-	-	1.3

* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY		LEAF	STAPLE															
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
33	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1		
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
43	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	3	-	-	-	-	-	-	*	0.1	0.1	*	*	*	-	-	0.3		
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	0.1		
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1		
	5	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	-	*		
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL----		-	-	-	-	*	0.3	5.7	29.1	43.3	19.4	2.3	*	-	-	100.0		
EXTRANEEOUS MATTER																Average Staple	34.8	
																Percent Tenderable	82.7	
Bark - Level 1		5.5																
Bark - Level 2		*																
Grass - Level 1		0.2																
Grass - Level 2		-																
Prep - Level 1		0.7																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

92,932 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	*	-	1.0
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.1	0.3	0.5	0.2	*	*	*	-	1.2
31	1-2	-	-	-	*	*	*	0.1	0.2	0.2	*	*	-	-	-	0.6
	3	-	-	-	*	*	0.2	1.5	6.6	9.6	4.0	0.8	*	*	-	22.7
	4	-	-	-	-	*	*	0.2	1.2	2.5	1.6	0.6	0.1	*	-	6.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.2	1.9	8.1	12.3	5.7	1.3	0.1	*	*	29.6
41	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.5	3.7	12.0	12.2	4.0	0.7	*	*	-	33.2
	4	-	-	-	-	*	0.2	1.5	6.2	9.6	4.8	1.2	0.1	*	*	23.6
	5	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	0.6	5.3	18.4	22.1	9.0	1.9	0.1	*	*	57.5
51	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.7	0.9	0.4	0.1	*	*	*	-	2.2
	4	-	-	-	*	*	0.1	0.7	1.2	1.0	0.3	0.1	*	-	*	3.4
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	0.3	1.4	2.2	1.4	0.4	0.1	*	*	-	5.8
61	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	*	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	-	0.4
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	1.2
	4	-	-	-	*	*	0.1	0.3	0.5	0.6	0.3	0.1	*	*	*	1.9
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.6	1.0	1.0	0.4	0.1	*	*	*	3.2
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	0.3
	4	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	1.3

* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
13 & 23	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.1	1.5	9.8	30.8	37.9	16.0	3.6	0.3	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	2.9															
Bark - Level 2	"															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	0.8															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

1,749,722 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. — **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	0.1	-	0.1	0.1	*	*	-	-	-	-	-	0.4
31	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	0.2	0.1	0.1	*	*	-	-	-	0.6
	4	-	*	0.2	0.5	0.1	0.1	0.2	0.3	0.2	*	*	-	-	-	1.7
	5	-	*	0.1	0.3	0.1	0.1	0.2	0.2	0.1	*	*	-	-	-	1.2
	6	-	-	*	*	*	*	*	*	*	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	0.1	0.4	0.9	0.2	0.3	0.6	0.6	0.3	0.1	*	-	-	-	3.6
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	0.1	0.7	1.0	0.5	0.5	0.2	0.1	*	-	-	-	-	3.0
	4	-	*	0.3	1.2	3.0	2.7	2.1	1.3	0.4	0.1	*	-	-	-	11.1
	5	-	*	0.4	1.4	1.8	2.6	2.9	1.4	0.5	0.1	*	-	-	-	11.3
	6	-	-	0.1	0.7	0.9	0.8	1.3	0.5	0.1	0.1	*	-	-	-	4.5
	7	-	-	*	0.1	0.3	0.1	0.2	0.3	*	-	-	-	-	-	1.0
	TOTAL----	-	0.1	0.9	4.1	7.1	6.8	7.0	3.6	1.1	0.2	*	*	-	-	31.0
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	0.4	0.4	0.2	0.1	*	*	-	-	-	-	-	1.2
	4	-	-	*	0.4	0.9	0.8	0.9	0.4	0.2	*	*	-	0.4	1.4	3.8
	5	-	-	*	0.1	0.6	1.5	1.3	1.2	0.3	0.1	*	-	-	-	5.0
	6	-	-	*	*	0.1	0.8	0.8	0.5	0.1	*	-	-	-	-	2.4
	7	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	-	-	-	0.7
	TOTAL----	-	-	*	1.0	2.1	3.5	3.3	2.3	0.7	0.1	*	-	-	-	13.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	*	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	*	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	-	-	-	-	-	-	0.1
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	-	-	-	-	-	-	-	0.2
	4	*	*	0.2	0.2	0.1	0.1	0.1	*	*	-	-	-	-	-	0.8
	5	-	0.1	0.2	0.2	0.1	*	0.1	*	*	-	-	-	-	-	0.7
	6	-	*	*	*	*	*	*	*	*	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	*	0.1	0.4	0.5	0.3	0.2	0.2	0.1	*	*	-	-	-	-	1.7
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	-	-	-	0.9
	4	*	0.1	0.2	0.7	1.1	1.0	1.0	0.4	0.1	*	-	-	-	-	4.6
	5	-	0.1	0.6	2.2	1.3	1.1	1.5	0.5	0.1	*	*	-	-	-	7.5
	6	-	*	0.3	1.5	1.0	0.6	0.4	0.2	*	*	-	-	-	-	4.0
	7	*	*	0.1	0.5	0.6	0.2	0.1	0.1	*	-	*	-	-	-	1.5
	TOTAL----	*	0.2	1.3	5.1	4.2	3.1	3.1	1.2	0.2	0.1	*	-	-	-	18.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	*	*	0.2	0.4	0.3	0.3	0.1	*	-	-	-	-	-	0.1
	5	-	*	*	0.4	0.7	0.8	1.0	0.4	0.1	0.1	*	-	-	-	3.5
	6	-	*	*	0.2	0.5	0.5	0.5	0.3	0.1	*	*	-	-	-	2.1
	7	-	-	*	0.1	0.4	0.2	0.2	0.1	*	-	-	-	-	-	1.1
	TOTAL----	-	*	0.1	0.9	2.0	1.8	2.0	0.9	0.3	0.1	*	-	-	-	8.2

* Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	*	*	-	*	-	-	-	-	-	-	-	*	
	5	-	-	-	*	*	*	*	-	-	-	-	-	-	-	*	
	6	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	*	*	*	*	*	-	-	-	-	-	-	0.1	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	*	*	*	*	*	*	-	-	-	-	-	-	-	0.1	
	4	-	*	0.1	0.1	*	*	*	*	-	-	-	-	-	-	0.3	
	5	-	*	*	*	0.1	*	*	*	-	-	-	-	-	-	0.1	
	6	-	-	*	-	*	*	*	*	-	-	-	-	-	-	*	
	7	-	-	-	*	*	*	-	-	-	-	-	-	-	-	*	
TOTAL----		-	0.1	0.1	0.1	0.1	0.1	0.1	*	-	-	-	-	-	-	0.5	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	-	-	0.4	
	4	*	*	0.2	0.8	0.6	0.5	0.5	*	*	*	-	-	-	-	2.8	
	5	-	0.1	0.5	1.4	0.8	0.6	0.3	0.1	*	*	*	-	-	-	3.8	
	6	-	*	0.5	1.2	0.5	0.3	0.1	*	*	*	-	-	-	-	2.7	
	7	-	*	0.2	0.6	0.3	0.1	*	*	*	-	-	-	-	-	1.2	
TOTAL----		*	0.3	1.5	4.1	2.3	1.5	1.0	0.2	*	*	*	-	-	-	11.0	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	4	-	-	-	*	0.2	0.1	0.1	*	*	*	-	-	-	-	0.4	
	5	-	-	*	0.1	0.3	0.4	0.4	0.1	*	0.1	*	-	-	-	1.5	
	6	-	-	*	0.2	0.2	0.2	0.3	0.1	*	*	*	-	-	-	1.1	
	7	-	*	0.1	0.3	0.2	0.1	0.1	0.1	*	-	-	-	-	-	0.8	
TOTAL----		-	*	0.2	0.7	0.9	0.8	0.8	0.3	*	0.1	*	-	-	-	3.8	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*	
	5	-	-	-	*	*	*	*	-	-	-	-	-	-	-	*	
	6	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*	
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*	
TOTAL----		-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1	
24-54	1-7	*	0.2	0.6	0.8	0.8	0.6	0.6	0.2	*	-	-	-	-	-	3.8	
25-35	1-7	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	0.1	
81-85 1/	1-7	*	0.2	0.2	0.2	0.1	0.1	*	*	-	-	-	-	-	-	0.8	
All Colors	8 2/	*	0.1	0.3	1.0	0.9	0.4	0.3	0.2	*	*	-	-	-	-	3.2	
TOTAL, ALL----		0.1	1.2	6.0	19.5	21.3	19.4	19.3	9.7	2.7	0.8	0.1	*	-	-	100.0	
EXTRANEEOUS MATTER																Average Staple Percent Tenderable	31.7 5.8
Bark - Level 1		57.0															
Bark - Level 2		0.1															
Grass - Level 1		-															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

65,365 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.9	1.4	0.6	0.1	*	*	-	3.1
	3	-	-	-	-	-	*	0.3	2.5	5.6	3.6	0.9	0.1	*	-	13.0
	4	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	0.6
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.5	3.4	7.2	4.5	1.1	0.1	*	*	16.8
31	1-2	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.8
	3	-	-	-	-	-	*	0.7	4.4	8.6	4.8	1.2	0.2	*	*	19.9
	4	-	-	-	-	-	*	0.1	0.8	2.9	3.2	1.1	0.1	*	*	8.3
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.9	5.5	12.0	8.3	2.5	0.3	*	*	29.6
41	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.3
	3	-	-	-	-	*	*	0.3	2.3	7.3	6.1	1.4	0.1	*	*	17.4
	4	-	-	-	-	-	*	0.1	0.7	3.3	5.2	2.1	0.3	0.1	*	11.6
	5	-	-	-	-	-	-	*	*	0.3	0.5	0.3	*	*	*	1.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.4	3.1	11.0	11.8	3.7	0.4	0.1	*	30.5
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.8	1.6	1.1	0.2	*	*	-	3.9
	4	-	-	-	-	*	*	*	0.5	1.8	2.2	0.8	*	-	-	5.4
	5	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	1.4	3.6	3.5	1.2	0.1	*	*	9.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	*	-	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.4	1.1	1.0	0.3	*	*	-	2.9
	4	-	-	-	-	-	*	*	0.2	0.9	1.6	0.7	0.1	*	*	3.6
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.7	2.2	2.8	1.1	0.1	*	*	7.0
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.3	0.5	0.3	0.1	*	-	-	1.2
	4	-	-	-	-	-	*	*	0.2	0.8	0.9	0.3	*	*	-	2.3
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.5	1.4	1.4	0.5	*	*	4.0

* Less than 0.05 percent.

Table 10. -- **Louisiana** : Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
53	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	-	0.5
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL, ALL----		-	-	-	-	*	0.1	2.1	15.0	37.9	33.2	10.5	1.0	0.1	*	100.0
EXTRANEEOUS MATTER		Average Staple														35.4
		Percent Tenderable														66.4
Bark - Level 1		0.7														
Bark - Level 2		"														
Grass - Level 1		0.4														
Grass - Level 2		*														
Prep - Level 1		0.3														
Prep - Level 2		"														
Other - Level 1		*														
Other - Level 1		*														

888,194 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.3	1.5	2.3	1.0	0.1	*	*	-	5.3
	3	-	-	-	-	-	*	0.7	4.9	10.6	7.5	1.7	0.1	*	*	25.5
	4	-	-	-	-	-	*	*	0.4	1.4	1.5	0.5	*	*	-	3.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	1.0	6.8	14.4	10.1	2.2	0.1	*	*	34.7
31	1-2	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	0.4
	3	-	-	-	-	*	*	0.6	2.8	5.2	3.7	0.9	*	*	*	13.2
	4	-	-	-	-	*	*	0.2	1.4	4.2	4.6	1.6	0.1	*	*	12.1
	5	-	-	-	-	-	*	*	0.1	0.3	0.5	0.2	*	*	*	1.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.8	4.4	9.9	8.8	2.7	0.1	*	*	27.0
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.3	1.7	3.5	2.2	0.4	*	*	*	8.2
	4	-	-	-	-	*	*	0.1	0.7	2.8	3.2	1.0	0.1	*	*	8.0
	5	-	-	-	-	-	*	*	0.1	0.3	0.5	0.2	*	*	*	1.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.5	2.6	6.7	5.9	1.6	0.1	*	*	17.4
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.3	1.1	1.4	0.7	0.1	*	*	-	3.6
	4	-	-	-	-	*	*	0.2	0.8	2.1	1.9	0.4	*	-	-	5.5
	5	-	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	*	-	0.9
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.6	1.9	3.8	3.0	0.7	*	*	10.1
61	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	0.5
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.4	0.5	0.1	*	*	*	-	1.3
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.3	0.6	0.4	0.1	*	*	-	1.5
	4	-	-	-	-	*	*	*	0.2	0.9	1.2	0.4	*	*	-	2.7
	5	-	-	-	-	*	*	*	*	0.1	0.3	0.1	*	*	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.5	1.6	1.9	0.6	*	*	-	4.8
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.7
	4	-	-	-	-	*	*	0.1	0.2	0.6	0.5	0.1	*	*	-	1.6
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.5	1.0	0.9	0.2	*	*	-	2.8

* Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.4
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL, ALL----		-	-	-	*	*	0.2	3.2	17.3	38.6	31.8	8.5	0.4	*	*	100.0
EXTRANEEOUS MATTER																Average Staple 35.3
Bark - Level 1	0.8															Percent Tenderable 76.0
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

2,274,199 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.5	2.3	1.8	1.1	0.2	*	*	-	5.9
	3	-	-	-	-	*	*	0.6	5.0	8.4	5.5	1.3	0.2	*	*	21.0
	4	-	-	-	-	-	-	0.1	0.5	1.0	0.5	0.1	*	-	-	2.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	1.2	7.8	11.2	7.1	1.6	0.2	*	*	29.2
31	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.2	1.7	3.3	2.6	0.6	*	*	-	8.6
	4	-	-	-	-	-	-	0.1	0.9	2.3	1.8	0.4	*	*	-	5.4
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.3	2.8	5.8	4.6	1.0	0.1	*	-	14.5
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	0.7	3.2	3.6	2.4	0.6	*	*	-	10.6
	4	-	-	-	-	-	-	0.1	1.2	2.9	3.0	1.0	0.2	*	-	8.4
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.9	4.4	6.7	5.5	1.6	0.2	*	-	19.4
51	1-2	-	-	-	-	-	-	*	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	0.1	1.2	5.0	6.4	2.7	0.5	*	*	-	16.0
	4	-	-	-	-	*	-	0.3	1.5	3.7	2.7	1.2	0.3	-	-	9.8
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	1.5	6.6	10.2	5.6	1.8	0.4	*	26.3
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	0.1	0.1	0.1	*	*	*	-	-	0.4
71	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	0.1	0.1	*	*	*	*	-	-	0.3
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.3
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	0.2	0.2	0.1	*	*	*	-	-	0.5
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.5
	3	-	-	-	-	*	*	0.3	0.9	0.6	0.1	*	*	-	-	2.0
	4	-	-	-	-	-	-	0.1	0.4	0.6	0.2	*	*	-	-	1.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	0.3	1.4	1.2	0.3	*	*	-	-	3.3
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	0.5	1.6	0.9	0.2	*	*	-	-	3.2
	4	-	-	-	-	*	*	0.1	0.7	0.7	0.2	*	*	-	-	1.8
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	0.1	0.7	2.3	1.7	0.4	0.1	*	*	5.2

* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.3
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	0.1	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	-	*	0.3	5.2	26.0	37.6	23.8	6.2	0.9	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.3														
Prep - Level 2		-														
Other - Level 1		0.1														
Other - Level 1		-														

808,557 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- **New Mexico** : Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.1	0.2	1.6	7.6	10.2	9.0	1.8	0.4	-	30.8
	3	-	-	-	-	-	-	0.1	0.8	2.6	3.5	3.8	0.9	0.4	-	12.3
	4	-	-	-	-	-	-	-	0.2	0.1	0.2	0.2	0.1	0.1	-	0.9
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	0.4	2.6	10.3	13.9	13.1	2.9	0.9	0.1	44.1
31	1-2	-	-	-	-	-	-	0.2	0.9	3.1	4.5	4.1	0.7	0.1	-	13.7
	3	-	-	-	-	-	0.1	0.4	1.8	5.8	7.8	6.3	1.6	0.5	-	24.3
	4	-	-	-	-	-	-	0.1	0.5	0.7	1.4	1.5	0.7	0.2	-	5.1
	5	-	-	-	-	-	-	-	0.1	-	0.1	0.3	0.2	-	-	0.8
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	0.8	3.3	9.7	13.7	12.2	3.3	0.8	0.1	43.9
41	1-2	-	-	-	-	-	-	-	0.2	0.4	0.2	0.1	-	-	-	1.0
	3	-	-	-	-	-	-	0.1	0.7	1.1	1.0	0.6	0.2	-	-	3.7
	4	-	-	-	-	-	-	0.1	0.5	0.5	0.5	0.9	0.4	0.1	-	3.1
	5	-	-	-	-	-	-	-	-	-	0.1	0.4	0.3	0.1	-	1.0
	6	-	-	-	-	-	-	-	-	-	-	-	0.1	-	-	0.1
TOTAL----		-	-	-	-	-	-	0.3	1.4	2.0	1.8	2.0	1.0	0.2	-	8.9
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.3
	3	-	-	-	-	-	-	-	0.2	0.3	0.3	0.2	0.1	-	-	0.1
	4	-	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	1.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
TOTAL----		-	-	-	-	-	-	-	0.1	0.2	0.4	0.4	0.3	0.2	-	1.5
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.3
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

0.1

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1		3.4														
Bark - Level 2		0.1														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		0.1														
Other - Level 1		-														

50,089 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. — **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
31	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	*	0.1	1.4	4.4	7.2	5.1	1.2	*	*	-	19.4
	4	-	-	-	-	*	*	0.3	1.2	2.6	2.2	0.6	*	*	-	6.9
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	*	0.1	1.7	5.8	10.0	7.4	1.8	*	*	-	26.9
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	0.2	2.3	7.6	12.6	8.5	1.7	*	*	-	32.8
	4	-	-	-	-	*	0.1	0.9	5.0	11.1	9.2	2.3	*	*	-	28.7
	5	-	-	-	-	-	*	0.1	0.5	1.1	0.9	0.3	*	*	-	2.8
	6	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.2
TOTAL		-	-	-	-	*	0.2	3.3	13.2	25.0	18.6	4.3	*	*	-	64.7
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
TOTAL		-	-	-	-	*	0.1	0.3	0.5	0.3	0.1	*	*	-	-	1.3
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	-	-	0.8
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	-	*	0.1	0.4	0.4	0.3	0.1	*	*	-	-	1.4
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	1.9
	3	-	-	-	-	-	0.3	0.6	0.6	0.3	0.1	*	*	-	-	2.4
	4	-	-	-	-	-	0.2	0.6	0.9	0.6	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	-	-	0.5	1.3	1.8	1.0	0.2	*	*	-	-	4.7
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	-	-	0.1	0.1	0.1	*	*	*	*	-	-	0.3

* Less than 0.05 percent.

Table 14. -- **North Carolina** : Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.4
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	-	0.4	5.9	21.2	38.0	27.9	6.5	0.1	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.6															Average Staple 35.1
Bark - Level 2	"															Percent Tenderable 78.0
Grass - Level 1	1.2															
Grass - Level 2	"															
Prep - Level 1	0.3															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 2	-															

1,324,262 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	*	0.2	0.5	0.8	0.6	0.1	*	-	2.2
	3	-	-	*	*	*	*	0.1	0.3	0.7	1.4	1.9	0.6	0.1	*	5.1
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	*	*	0.2	0.6	1.2	2.2	2.7	0.8	0.1	*	7.9
31	1-2	-	*	*	*	*	*	0.1	0.3	0.7	0.8	0.6	0.1	*	-	2.6
	3	-	*	*	*	0.1	0.2	0.5	1.4	3.7	5.8	4.7	0.7	0.1	*	17.1
	4	-	*	*	*	*	0.1	0.3	0.6	1.0	1.3	1.0	0.2	*	*	4.5
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	*	0.1	0.4	0.8	2.3	5.6	8.0	6.3	1.0	0.1	*	24.6
41	1-2	-	*	*	*	*	*	*	0.1	0.3	0.2	*	-	-	-	0.6
	3	-	*	0.1	0.2	0.6	1.4	1.5	1.4	2.8	3.1	1.3	0.1	*	*	12.5
	4	-	*	*	*	0.2	0.8	1.6	1.6	1.6	1.4	0.7	0.1	*	*	8.0
	5	-	-	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	*	1.7
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	0.1	0.3	0.9	2.3	3.4	3.5	5.1	5.0	2.2	0.3	*	*	23.0
51	1-2	-	-	*	*	*	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	*	*	0.2	0.7	1.5	1.8	1.5	1.7	1.1	0.4	0.1	*	*	9.0
	4	-	*	*	0.1	0.5	1.3	2.1	1.6	1.2	0.6	0.3	*	*	*	7.8
	5	-	-	*	*	0.1	0.3	0.5	0.5	0.3	0.1	*	*	-	-	1.7
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	*	*	0.4	1.2	3.2	4.4	3.8	3.2	1.9	0.8	0.1	*	*	18.9
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	4	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	-	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	*	0.1	0.3	0.3	0.3	0.1	*	*	*	*	-	1.3
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	0.1	*	*	*	*	*	-	0.3
32	1-2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	*	*	*	0.1	0.1	0.2	0.1	0.1	0.1	0.1	*	*	-	0.9
	4	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	*	*	-	1.5
42	1-2	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	*	0.1	0.3	0.7	1.0	1.0	0.4	0.2	0.2	0.1	*	*	-	4.1
	4	-	*	*	0.1	0.3	0.8	1.2	0.7	0.2	0.1	*	*	*	*	3.7
	5	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	-	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	0.1	0.4	1.1	2.0	2.4	1.4	0.6	0.4	0.1	*	*	*	8.7
52	1-2	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	*	*	0.2	0.4	0.7	0.7	0.5	0.2	0.1	*	*	*	-	2.9
	4	-	*	*	0.2	0.5	0.8	1.0	0.7	0.2	0.1	*	*	*	-	3.5
	5	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	*	-	1.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	0.1	0.5	1.0	1.7	2.2	1.5	0.6	0.2	*	*	*	-	7.8

* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	TOTAL----	-	-	-	-	0.1	0.1	0.2	0.1	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	0.1	0.1	-	-	0.1	-	-	-	-	-
	5	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.4
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1	-	-	-	-
	4	-	-	-	-	0.1	0.3	0.3	0.3	0.1	-	-	-	-	-	1.3
	5	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	-	1.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	0.1	0.4	0.6	0.6	0.5	0.3	0.2	0.1	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	-	-	-
	4	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	-	-	0.4
	5	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.5
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	0.1	0.2	0.2	0.3	0.2	0.1	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	0.4	1.9	5.4	11.1	15.4	14.8	17.5	18.5	12.4	2.2	0.2	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	20.5															
Bark - Level 2	*															
Grass - Level 1	*															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

288,786 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	-	-	0.6
	4	-	-	-	-	-	-	*	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	-	-	0.7
31	1-2	-	-	-	-	-	*	*	0.2	0.3	0.1	*	-	-	-	0.6
	3	-	-	-	-	*	*	1.0	5.9	12.3	6.5	1.0	*	*	*	26.8
	4	-	-	-	-	-	*	0.1	0.8	2.4	2.0	0.5	*	*	-	5.8
	5	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	1.1	6.9	15.0	8.7	1.6	*	*	*	33.4
41	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.1	1.6	9.3	16.3	7.6	1.2	*	*	-	36.2
	4	-	-	-	-	*	*	0.5	3.6	9.0	6.2	1.3	*	*	*	20.7
	5	-	-	-	-	-	*	*	0.1	0.5	0.5	0.1	*	-	-	1.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	2.2	13.1	25.8	14.4	2.6	0.1	*	*	58.3
51	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	0.7
	4	-	-	-	-	-	*	0.1	0.4	0.5	0.2	*	*	-	-	1.2
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	0.7	0.8	0.3	*	*	-	-	2.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.7
	4	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.1
42	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	3	-	-	-	-	*	*	0.1	0.5	0.5	0.2	*	*	-	-	1.4
	4	-	-	-	-	*	*	0.1	0.5	0.8	0.5	0.1	*	*	-	2.0
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	1.0	1.5	0.8	0.1	*	*	-	3.6
52	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	-	0.4

* Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	-	-	0.3	4.0	22.4	44.1	24.7	4.4	0.1	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.6															Average Staple 35.0
Bark - Level 2	-															Percent Tenderable 82.0
Grass - Level 1	0.7															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 2	-															

369,113 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.7	1.1	0.6	0.2	*	*	-	-	2.6
	3	-	-	-	-	*	0.2	2.9	6.8	4.5	1.2	0.1	*	-	-	15.8
	4	-	-	-	-	*	*	0.2	0.9	0.8	0.2	*	*	-	-	2.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	3.8	8.8	6.0	1.6	0.2	*	-	-	20.7
31	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	3	-	-	-	-	*	0.2	2.1	4.6	3.0	0.8	0.1	*	-	-	10.9
	4	-	-	-	-	*	0.1	0.8	3.0	3.1	0.9	0.1	*	-	-	7.9
	5	-	-	-	-	-	*	0.1	0.3	0.4	0.1	*	*	-	*	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	3.1	8.1	6.6	1.9	0.3	*	-	*	20.3
41	1-2	-	-	-	-	*	0.2	0.2	0.1	*	*	*	-	-	-	0.5
	3	-	-	-	-	0.1	1.9	6.2	6.6	2.9	0.5	*	*	-	-	18.4
	4	-	-	-	-	*	0.2	1.6	3.8	2.8	0.9	0.2	*	-	-	9.4
	5	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	0.2	2.3	8.1	10.7	5.9	1.6	0.2	*	-	-	29.0
51	1-2	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	-	-	0.1	1.3	3.5	3.5	1.3	0.2	*	*	-	-	9.9
	4	-	-	-	-	*	0.3	1.4	2.7	1.8	0.5	0.1	*	-	-	6.8
	5	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	0.2	1.6	5.1	6.4	3.2	0.8	0.1	*	-	-	17.4
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.2	0.3	0.2	0.1	*	-	-	-	-	0.8
42	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.6	1.6	1.2	0.4	0.1	*	-	-	-	3.9
	4	-	-	-	-	*	0.1	0.6	1.0	0.6	0.1	*	*	-	-	2.4
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.7	2.2	2.3	1.1	0.2	*	*	-	-	6.5
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.3	0.8	0.6	0.2	*	*	-	-	-	1.9
	4	-	-	-	-	*	0.1	0.5	0.7	0.4	0.1	*	-	-	-	1.7
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.4	1.3	1.4	0.6	0.1	*	*	-	-	3.9

* Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL----		-	-	-	-	0.4	5.9	24.2	38.4	23.8	6.3	0.8	-	-	-	-	-
EXTRANEEOUS MATTER																	
Bark - Level 1	0.9																
Bark - Level 2	-																
Grass - Level 1	0.1																
Grass - Level 2	-																
Prep - Level 1	0.2																
Prep - Level 2	-																
Other - Level 1	-																
Other - Level 1	-																
		Average Staple 34.0															
		Percent Tenderable 75.0															

958,606 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.1	0.2	0.3	0.3	0.2	0.2	*	*	*	1.4
	3	-	-	*	*	*	0.2	0.5	1.0	1.3	1.2	1.3	0.3	*	*	5.9
	4	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.3	0.1	*	*	1.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	0.1	0.3	0.8	1.4	1.8	1.7	1.8	0.4	*	*	8.4
31	1-2	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	-	1.2
	3	-	*	*	*	0.2	0.8	2.0	3.2	3.7	2.7	2.0	0.3	*	*	15.0
	4	-	*	*	*	0.1	0.3	0.7	1.4	1.8	1.9	1.9	0.4	*	*	8.5
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	0.6
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	0.1	0.3	1.2	3.0	5.0	5.9	4.9	4.1	0.8	*	*	25.3
41	1-2	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	3	-	*	*	*	0.2	1.1	2.6	3.7	3.7	1.9	0.6	*	*	*	13.8
	4	-	*	*	*	0.2	0.7	2.3	4.1	4.9	3.5	1.6	0.2	*	*	17.6
	5	-	-	*	*	*	0.1	0.2	0.4	0.5	0.5	0.3	0.1	*	*	2.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	0.1	0.5	1.9	5.2	8.4	9.2	5.9	2.5	0.3	*	*	34.1
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	0.2	0.4	0.5	0.4	0.2	0.1	*	*	-	1.9
	4	-	*	*	*	*	0.1	0.4	0.7	0.8	0.7	0.3	*	*	*	3.0
	5	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.9
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	0.1	0.3	0.9	1.5	1.5	1.1	0.4	*	*	*	*	5.9
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	*	0.9
	4	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	-	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	0.2	0.3	0.3	0.2	0.1	0.1	*	*	*	1.3
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	0.2	0.5	0.8	0.8	0.6	0.3	0.1	*	*	*	3.2
	4	-	*	*	*	0.1	0.3	0.5	0.6	0.5	0.3	0.2	*	*	*	2.5
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	0.3	0.8	1.4	1.4	1.1	0.6	0.4	0.1	*	*	6.1
42	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	0.2	0.5	0.9	0.7	0.4	0.2	*	*	*	*	3.0
	4	-	*	*	*	0.2	0.5	1.3	1.4	0.9	0.5	0.2	*	*	*	5.1
	5	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	0.1	*	*	*	0.9
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	0.1	0.4	1.2	2.4	2.4	1.6	0.8	0.4	0.1	*	*	9.2
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.3
	4	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	-	0.7
	5	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	0.1	0.2	0.4	0.4	0.2	0.1	0.1	*	*	*	1.5

* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	-	
	3	-	-	-	-	0.1	0.2	0.3	0.3	0.3	0.1	-	-	-	-	0.1	
	4	-	-	-	-	-	0.1	0.2	0.2	0.2	0.1	-	-	-	-	1.3	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	0.1	0.3	0.5	0.5	0.5	0.2	0.1	-	-	-	2.2	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	0.1	0.2	0.3	0.3	0.2	0.1	-	-	-	-	-	
	4	-	-	-	-	0.1	0.2	0.4	0.5	0.4	0.2	0.1	-	-	-	1.2	
	5	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	2.0	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	0.1	0.2	0.4	0.8	0.9	0.7	0.3	0.1	-	-	-	3.6	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	0.1	0.2	0.4	0.4	0.2	0.1	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.6	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
TOTAL, ALL-----		-	-	0.1	0.5	2.1	7.1	16.3	22.9	23.2	15.9	10.0	1.8	0.1	-	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1	41.0																
Bark - Level 2	*																
Grass - Level 1	0.5																
Grass - Level 2	*																
Prep - Level 1	0.1																
Prep - Level 2	*																
Other - Level 1	*																
Other - Level 1	*																
		</															

7,573,948 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
31	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.2	1.0	2.2	3.3	2.6	0.6	*	-	-	9.9
	4	-	-	-	-	*	*	0.3	1.3	2.3	1.6	0.4	*	-	-	6.0
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.2	1.4	3.6	5.6	4.3	1.0	*	-	-	16.1
41	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.2	2.3	7.0	10.7	8.6	1.6	*	-	-	30.6
	4	-	-	-	-	-	0.1	1.4	8.4	16.3	12.4	2.7	*	-	-	41.3
	5	-	-	-	-	-	*	0.1	0.6	1.3	0.8	0.2	*	-	-	3.0
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.3	3.8	16.1	28.3	21.9	4.6	*	-	-	75.0
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	0.1	0.2	0.4	0.4	0.1	*	-	-	1.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.2
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.3	0.7	0.5	0.2	*	-	-	1.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	-	-	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6
42	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	*	0.2	0.5	0.6	0.2	0.1	*	-	-	1.5
	4	-	-	-	-	-	*	0.3	1.1	1.6	0.6	0.1	*	-	-	3.7
	5	-	-	-	-	-	*	*	0.2	0.3	0.1	*	-	-	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.4	1.7	2.5	0.9	0.2	*	-	-	5.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.3

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
April 29, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1	1.6															
Bark - Level 2	-															
Grass - Level 1	0.6															
Grass - Level 2	-															
Prep - Level 1	0.4															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

142,604 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Average Staple 35.0
Percent Tenderable 82.3

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through April 29, 2005

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	*	*	-	*	-	*	3.1	-	*
25	*	*	*	*	-	*	2.1	-	*
26	*	0.1	*	*	*	*	2.5	*	*
27	*	0.1	*	*	*	*	3.6	*	*
28	*	0.2	*	*	*	*	4.8	*	*
29	*	0.2	*	*	*	*	5.2	*	*
30	0.1	0.2	*	0.1	*	*	4.7	*	*
31	0.2	0.3	*	0.1	0.1	0.1	4.3	*	*
32	0.3	0.4	0.1	0.1	0.4	0.2	4.7	*	*
33	0.6	0.5	0.1	0.2	0.7	0.4	4.5	*	0.1
34	0.9	0.5	0.3	0.4	1.2	0.6	4.1	*	0.1
35	1.5	0.8	0.7	0.6	2.3	1.1	3.0	0.1	0.2
36	2.3	1.0	1.3	1.0	3.6	1.6	2.6	0.1	0.5
37	3.3	1.5	2.2	1.8	5.2	2.4	2.9	0.2	0.8
38	4.4	1.8	3.4	3.1	6.0	3.5	3.1	0.3	1.2
39	5.3	2.1	4.6	4.6	7.4	4.8	3.1	0.5	1.7
40	6.2	2.6	6.0	6.5	8.4	6.0	3.5	0.8	2.4
41	7.0	3.3	7.4	8.7	9.6	7.3	4.6	1.5	3.3
42	7.8	4.1	8.8	10.6	9.3	8.2	4.8	2.6	4.6
43	8.6	5.0	9.9	11.7	9.3	9.0	5.1	4.1	6.0
44	9.0	6.1	10.4	11.6	8.3	9.6	5.0	6.1	7.5
45	9.1	7.2	10.6	10.1	7.4	9.9	4.8	8.4	9.6
46	8.7	8.2	9.5	8.5	6.6	9.6	3.9	10.9	11.6
47	7.8	9.3	8.2	7.3	5.4	8.3	4.0	13.2	12.9
48	6.2	9.9	6.4	5.6	4.2	6.4	2.9	14.3	12.6
49	4.7	10.0	4.4	3.6	2.5	4.5	1.8	13.7	10.2
50	2.9	8.5	2.7	2.1	1.3	2.9	0.9	10.8	6.9
51	1.7	6.6	1.5	0.9	0.5	1.8	0.2	7.0	4.1
52	0.9	4.5	0.8	0.4	0.2	1.0	*	3.5	2.3
53	0.3	2.8	0.3	0.1	*	0.5	*	1.2	0.9
54	0.1	1.4	0.1	0.1	*	0.2	*	0.4	0.3
55	*	0.5	*	*	*	0.1	*	0.1	0.1
56	*	0.2	*	*	*	*	-	*	*
57	*	*	*	*	-	*	-	*	*
58	*	*	*	*	-	*	-	*	*
59	-	*	*	-	-	-	-	-	-
60 & above	-	*	-	-	-	-	-	-	-
Average mike	43	46	44	44	42	44	37	47	46
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	*	-	*
18	-	-	-	-	-	-	*	-	*
19	-	-	-	-	-	-	0.1	-	*
20	*	*	-	-	-	-	0.2	-	*
21	*	*	*	*	*	*	0.6	-	*
22	*	*	*	*	*	*	1.9	*	*
23	0.3	0.1	*	*	*	*	4.2	*	*
24	1.5	0.5	0.2	*	0.2	0.1	7.7	0.1	0.2
25	5.3	2.0	1.0	0.2	1.2	0.7	12.1	0.3	0.7
26	12.7	5.0	3.9	0.5	4.6	2.5	13.8	1.6	2.3
27	18.7	9.8	10.8	1.3	12.8	7.8	15.4	6.3	6.6
28	20.3	15.8	20.8	2.8	22.8	17.4	14.8	17.1	15.7
29	16.7	20.5	26.0	4.5	26.8	25.2	13.6	27.2	25.8
30	11.0	20.8	19.8	8.5	18.8	22.1	9.7	23.8	25.0
31	7.0	14.5	10.1	14.8	8.5	13.2	4.4	12.7	14.3
32	4.0	7.2	4.6	17.0	3.1	6.6	1.0	5.8	6.0
33	1.8	2.7	2.0	19.6	0.8	3.0	0.4	2.9	2.2
34	0.6	0.8	0.6	18.5	0.2	1.1	0.1	1.5	0.7
35	0.2	0.2	0.2	9.0	*	0.1	*	0.6	0.3
36 & above	*	*	*	3.4	*	*	*	0.2	0.1
Average strength	28.2	29.3	29.1	32.3	28.8	29.4	27.0	29.5	29.5

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through April 29, 2005

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	*	0.5	*	0.1	*	*	0.2	-	0.1
25	*	0.5	*	0.1	*	*	0.3	-	0.1
26	*	0.6	*	0.1	*	*	0.5	-	0.2
27	*	0.7	*	0.2	*	*	0.8	-	0.3
28	*	1.1	*	0.2	*	*	1.3	*	0.5
29	*	1.5	*	0.4	*	*	1.9	*	0.7
30	*	2.4	*	0.5	*	*	2.5	*	0.9
31	*	3.6	*	0.7	*	0.1	3.1	*	1.1
32	0.1	5.4	*	0.8	0.1	0.1	3.7	*	1.4
33	0.1	6.0	*	1.1	0.1	0.2	4.4	*	1.7
34	0.3	6.8	0.1	1.6	0.2	0.3	5.1	0.1	2.0
35	0.8	7.6	0.1	2.3	0.3	0.6	5.7	0.1	2.4
36	1.6	7.3	0.2	3.2	0.5	1.0	6.0	0.3	2.8
37	2.8	7.8	0.4	4.2	0.9	1.5	6.3	0.5	3.3
38	4.2	7.3	0.7	5.1	1.3	2.3	6.6	1.0	3.9
39	5.1	6.4	1.4	6.4	1.9	3.5	6.6	2.1	4.5
40	6.3	6.5	2.6	7.5	2.8	5.1	6.5	4.2	5.2
41	7.6	6.5	4.3	8.5	4.1	6.5	6.2	6.8	6.0
42	8.6	5.9	6.2	9.1	5.6	7.9	5.7	8.5	6.7
43	9.0	4.7	8.1	9.4	7.8	9.0	5.2	10.5	7.2
44	9.2	3.6	9.8	9.1	10.1	10.1	4.7	12.3	7.7
45	9.0	2.8	11.6	8.2	11.9	10.7	4.1	13.6	7.9
46	8.5	1.8	12.7	6.6	12.5	10.4	3.5	12.7	7.8
47	7.6	1.2	12.1	5.1	11.7	9.3	2.9	10.1	7.3
48	6.5	0.7	10.2	3.8	9.7	7.6	2.3	6.9	6.2
49	5.2	0.4	7.7	2.6	7.4	5.6	1.6	4.8	4.9
50	3.7	0.2	5.2	1.6	5.1	3.8	1.1	2.8	3.3
51	2.1	0.1	3.3	0.9	3.2	2.2	0.7	1.6	2.0
52	1.0	*	1.9	0.5	1.7	1.3	0.3	0.8	1.1
53	0.4	*	0.9	0.2	0.6	0.6	0.1	0.1	0.5
54	0.1	*	0.4	0.1	0.3	0.3	*	*	0.2
55	*	*	0.1	*	*	0.1	*	*	0.1
56	*	*	*	*	*	*	*	*	*
57	*	-	*	*	*	*	*	-	*
58	*	-	*	*	-	*	*	-	*
59	-	-	-	-	-	-	*	-	*
60 & above	-	-	-	-	-	-	*	-	*
Average mike	44	37	46	42	45	45	39	45	46
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	*	-	*
18	-	-	-	*	-	-	*	-	*
19	-	-	-	*	-	-	*	-	*
20	-	-	-	*	-	*	*	-	*
21	*	*	*	*	*	*	*	*	*
22	*	*	*	0.2	*	0.1	0.1	*	*
23	0.1	0.3	0.2	0.4	0.1	0.3	0.2	0.2	0.2
24	0.5	1.2	1.4	1.1	0.4	1.3	0.8	1.7	0.6
25	2.3	3.5	5.5	2.9	1.9	4.2	2.7	6.5	2.2
26	7.8	6.6	13.0	7.5	6.1	10.8	7.0	16.0	5.9
27	18.1	13.3	21.6	13.9	14.8	19.4	13.8	23.4	12.0
28	26.4	21.1	23.4	18.9	24.6	24.3	20.1	23.2	18.5
29	23.4	19.8	17.0	19.4	23.8	19.7	19.8	14.9	20.4
30	12.5	15.2	9.9	15.1	15.0	11.1	13.7	8.0	15.9
31	5.4	9.5	5.0	9.5	7.9	5.0	8.7	3.8	10.0
32	2.3	5.2	2.1	5.3	3.7	2.3	6.5	1.4	6.3
33	0.8	2.6	0.8	2.9	1.4	1.0	4.2	0.6	4.2
34	0.2	1.1	0.2	1.6	0.4	0.3	1.8	0.2	2.5
35	*	0.4	*	0.8	0.1	0.1	0.5	*	1.0
36 & above	*	0.1	*	0.4	*	*	0.1	*	0.3
Average strength	28.4	28.8	27.9	28.9	28.7	28.1	28.9	27.7	29.2

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through April 29, 2005

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-
75	-	-	-	*	-	*	0.3	-	*
76	*	*	-	*	-	*	1.9	-	*
77	0.1	0.6	*	0.1	0.2	*	7.5	*	*
78	1.1	2.6	*	0.7	2.1	2.2	15.5	0.5	0.1
79	5.2	9.1	0.9	3.0	10.2	12.4	15.7	4.6	2.0
80	16.5	25.2	7.0	9.5	31.3	32.8	21.7	20.4	12.3
81	33.9	36.5	24.7	30.6	36.5	32.7	26.4	34.5	31.4
82	31.9	20.7	43.9	40.8	16.3	15.8	9.8	26.6	33.7
83	10.3	4.7	20.9	12.5	3.1	3.7	1.2	11.6	17.3
84	1.0	0.5	2.4	1.9	0.3	0.4	*	1.7	3.1
85	*	*	0.1	0.5	*	*	*	*	0.1
86	*	-	*	0.2	-	*	-	*	*
87	-	-	-	*	-	-	-	-	-
88	-	-	-	*	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.3	80.8	81.8	81.6	80.6	80.6	79.7	81.2	81.6
TRASH 2/									
0.0	-	*	*	*	-	*	-	*	*
0.1	0.2	28.2	1.2	31.4	0.3	0.2	*	1.7	2.2
0.2	4.8	35.4	10.3	36.9	4.2	4.4	0.4	11.9	13.5
0.3	17.7	18.9	20.6	18.6	17.0	17.4	1.7	21.6	21.6
0.4	21.7	7.9	21.1	7.4	24.1	27.1	2.9	20.9	19.0
0.5	21.2	3.3	16.7	3.0	23.7	21.5	5.5	17.1	14.2
0.6	14.9	1.9	13.5	1.4	15.9	14.5	7.5	11.1	12.2
0.7	8.9	1.0	7.8	0.5	8.1	7.8	10.0	7.6	6.8
0.8	4.8	0.7	4.5	0.3	3.6	3.7	10.0	4.1	4.6
0.9	2.9	0.6	2.6	0.2	1.8	1.9	10.5	2.3	3.1
1.0	1.1	0.4	0.8	0.1	0.5	0.6	8.9	0.8	1.2
1.1	0.6	0.3	0.5	*	0.3	0.3	8.1	0.5	0.8
1.2	0.4	0.2	0.2	*	0.1	0.2	6.9	0.3	0.4
1.3	0.2	0.2	*	*	0.1	0.1	5.3	0.1	0.1
1.4	0.1	0.2	*	*	0.1	0.1	4.8	0.1	0.1
1.5	0.1	0.1	*	*	*	*	3.9	*	0.1
1.6	*	0.1	*	*	*	*	2.9	*	*
1.7	*	0.1	*	*	*	*	2.3	*	*
1.8 & above	0.1	0.5	*	*	*	*	8.2	*	0.1
Average trash	0.50	0.26	0.46	0.22	0.49	0.48	1.03	0.45	0.46

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through April 29, 2005

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-
76	-	-	-	-	-	-	-	-	-
77	*	0.8	*	0.2	-	-	0.1	-	0.1
78	*	3.0	0.2	1.0	*	-	0.9	*	0.4
79	0.4	13.7	1.7	4.1	0.5	0.2	4.9	*	2.2
80	3.3	30.0	8.8	13.9	4.3	1.3	16.0	0.7	8.3
81	20.1	30.3	26.5	28.0	17.0	8.5	29.1	4.6	19.6
82	49.1	16.7	38.9	30.4	33.2	31.1	25.9	19.6	28.5
83	24.3	4.8	20.2	16.7	30.0	41.8	14.8	44.4	27.3
84	2.7	0.6	3.6	4.8	12.9	15.4	6.8	26.2	11.7
85	0.1	*	0.1	0.7	1.9	1.7	1.3	4.4	1.8
86	*	-	-	*	*	*	0.1	0.1	0.1
87	-	-	-	-	-	-	*	-	*
88	-	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-	*
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.0	80.6	81.8	80.6	81.3	81.7	80.5	82.0	81.1
TRASH 2/									
0.0	*	*	*	*	-	*	*	-	*
0.1	2.6	14.7	0.1	2.5	0.1	1.0	0.8	*	4.3
0.2	15.0	28.1	2.5	15.6	4.1	10.6	7.0	0.7	11.4
0.3	24.8	25.4	14.1	22.4	18.9	23.0	17.1	7.3	18.7
0.4	22.3	14.0	22.8	16.8	25.7	22.9	18.5	18.0	19.1
0.5	15.9	7.4	23.3	14.0	22.5	17.1	16.8	25.3	16.0
0.6	10.3	4.9	17.0	9.9	14.2	12.1	13.6	21.9	12.1
0.7	5.2	2.3	10.1	7.1	7.6	6.6	9.2	14.1	7.4
0.8	2.3	1.4	4.9	4.1	3.4	3.4	6.0	6.8	4.4
0.9	1.1	0.7	2.7	2.8	1.8	1.9	4.1	3.5	2.8
1.0	0.3	0.4	1.1	1.6	0.7	0.7	2.4	1.2	1.4
1.1	0.1	0.2	0.6	1.1	0.4	0.4	1.6	0.6	0.9
1.2	*	0.1	0.4	0.7	0.2	0.1	1.0	0.3	0.5
1.3	*	0.1	0.2	0.4	0.1	0.1	0.6	0.1	0.3
1.4	*	*	0.1	0.3	0.1	*	0.4	*	0.2
1.5	*	*	*	0.2	*	*	0.3	*	0.1
1.6	*	*	*	0.1	*	*	0.2	*	0.1
1.7	*	*	*	0.1	*	*	0.1	*	0.1
1.8 & above	*	0.1	*	0.3	*	*	0.2	*	0.1
Average trash	0.41	0.32	0.52	0.46	0.48	0.45	0.54	0.56	0.47

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. - Quality of American Pima cotton classed for producers by State and United States through April 29, 2005

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	32.9	14.7	2.9	0.9	13.9
	2	18.3	4.5	7.9	1.5	4.6
	3	-	*	1.1	*	0.1
	4	-	*	*	-	*
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		51.2	19.3	11.8	2.5	18.5
02	1	6.8	7.7	2.4	6.7	7.5
	2	27.5	38.4	41.1	70.9	40.1
	3	2.1	8.3	33.6	8.8	8.9
	4	*	1.0	4.2	0.3	1.0
	5	-	0.1	0.2	*	0.1
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		36.4	55.5	81.5	86.8	57.6
03	1	-	*	*	0.1	*
	2	3.3	2.7	0.8	4.9	2.8
	3	3.3	8.2	2.4	4.7	7.9
	4	0.4	3.4	1.5	0.3	3.1
	5	0.1	1.0	0.3	*	1.0
	6	-	0.1	-	-	0.1
	7	-	-	-	-	-
Total -----		7.1	15.5	5.0	10.0	14.9
04	1	-	*	-	-	*
	2	0.3	1.0	*	0.1	0.9
	3	2.1	2.3	0.1	0.4	2.2
	4	1.3	2.7	0.5	0.1	2.5
	5	0.6	0.8	0.3	-	0.7
	6	0.1	0.1	*	-	0.1
	7	-	*	-	-	*
Total -----		4.3	6.9	0.9	0.5	6.4
05	1	-	*	-	-	*
	2	-	0.1	-	-	0.1
	3	0.1	0.6	*	*	0.5
	4	0.1	0.9	0.2	*	0.8
	5	0.5	0.7	0.3	*	0.7
	6	0.2	0.1	0.2	-	0.1
	7	-	*	-	-	*
Total -----		0.9	2.3	0.7	0.1	2.1
06	1	-	*	-	*	*
	2	-	-	-	-	*
	3	-	0.1	-	*	0.1
	4	-	0.1	-	0.1	0.1
	5	-	0.2	-	*	0.2
	6	0.1	0.1	*	-	0.1
	7	-	*	-	-	*
Total -----		0.1	0.5	*	0.1	0.5
07	1	*	*	-	-	*
	2	-	*	-	-	*
	3	*	*	-	*	*
	4	-	*	-	*	*
	5	-	*	-	-	*
	6	0.1	*	*	-	*
	7	*	*	-	-	*
Total -----		0.1	*	*	*	*
STAPLE						
40 & shorter		-	*	-	-	*
42		*	0.1	*	*	0.1
44		14.6	8.7	3.1	10.2	8.7
46		47.2	55.8	39.5	59.6	55.5
48 & longer		38.2	35.5	57.3	30.2	35.7
Average		46.5	46.5	47.1	46.4	46.5
UNIFORMITY						
72 & below		-	-	-	-	-
73		-	-	-	-	-
74		-	-	-	-	-
75		-	-	-	-	-
76		-	-	-	-	-
77		-	-	-	-	-
78		-	-	-	-	-
79		-	*	-	*	*
80		0.1	*	*	*	*
81		0.2	0.2	0.3	0.5	0.2
82		1.8	1.3	1.6	3.2	1.4
83		9.1	6.5	8.3	12.1	6.9
84		25.0	22.3	22.3	27.2	22.6
85		31.6	41.1	34.5	30.2	40.3
86		22.1	22.8	23.6	18.6	22.6
87		8.2	5.3	7.9	6.5	5.5
88		1.9	0.5	1.3	1.4	0.6
89		0.1	*	0.1	0.1	*
90 & above		-	-	*	-	*
Average		84.9	84.9	85.0	84.7	84.9
BALES CLASSED		5,417	656,196	17,667	37,725	717,005

* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through April 29, 2005

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	-	-	-	-
25 - 26	-	-	-	-	-
27 - 29	0.1	0.2	0.4	1.2	0.2
30 - 32	1.9	1.1	2.8	4.4	1.3
33 - 34	1.9	1.6	4.9	8.2	2.0
35 - 36	3.1	3.1	7.9	14.0	3.8
37 - 42	73.3	72.0	51.7	58.9	70.8
43 - 49	19.8	22.0	32.3	13.3	21.8
50 - 52	-	-	-	-	-
53 & above	-	-	-	-	-
Average	40	41	40	39	40
ALL MIKE					
24 & below	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	0.1	-
29	0.1	0.1	0.3	0.4	0.1
30	0.3	0.2	0.6	0.7	0.2
31	1.0	0.4	0.9	0.9	0.3
32	0.6	0.5	1.2	1.1	0.4
33	1.0	0.7	2.1	2.4	0.6
34	0.8	0.9	2.9	3.5	0.9
35	1.0	1.2	3.6	4.8	1.1
36	2.0	1.9	4.3	6.4	1.6
37	4.1	3.7	5.4	7.6	2.2
38	11.8	7.5	6.6	9.4	4.0
39	17.5	12.3	8.3	10.3	7.7
40	17.2	16.4	9.5	10.9	12.2
41	13.1	17.0	10.5	10.7	15.9
42	9.7	15.1	11.5	9.5	16.4
43	9.2	11.5	11.0	8.1	14.6
44	6.2	6.6	9.2	5.6	11.2
45	3.4	2.8	6.2	3.6	6.5
46	0.8	0.8	3.6	2.2	2.8
47	0.2	0.2	1.5	1.1	0.9
48	-	0.1	0.6	0.5	0.3
49	-	-	0.2	0.3	0.1
50	-	-	-	0.1	-
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	40	41	40	39	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	-	-	-	-	-
32	-	0.1	0.1	0.1	0.1
33	0.9	0.3	0.5	0.5	0.4
34	3.5	0.8	1.7	1.8	0.9
35	6.3	1.3	3.5	4.7	1.6
36	10.1	2.2	6.1	8.4	2.7
37	11.3	3.8	9.7	12.9	4.5
38	13.5	7.7	14.1	19.1	8.5
39	11.9	13.5	15.1	17.9	13.8
40	16.5	18.6	15.1	14.9	18.3
41	12.8	19.7	13.3	9.9	19.0
42	6.8	15.3	9.7	5.3	14.6
43	4.1	9.1	5.8	2.6	8.7
44	1.5	4.6	3.3	1.2	4.3
45 & above	0.7	2.9	2.2	0.5	2.7
Average	38.8	40.5	39.5	38.7	40.3
EXTRANEEOUS MATTER					
Bark	2.0	0.1	2.0	1.6	0.3
Grass	0.4	0.1	0.7	0.5	0.1
Spindle Twist	0.3	0.4	0.1	0.1	0.4
Preparation	0.2	0.8	0.7	0.3	0.8

* Less than 0.05 percent.



1022663987

Date		Time		Place		Remarks	